

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Injury and Violence											
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet							93.8	92.3	93.3	No	No
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else							10.6	8.2	9.2	No	No
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol							28.3	24.6	26.4	No	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol							12.4	11.2	11.9	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days							17.8	19.2	20.9	No	No
Percentage of students who carried a gun on one or more of the past 30 days							5.7	5.8	9.1	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days							6.2	5.8	6.9	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Injury and Violence											
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school							3.8	4.3	5.9	No	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months							6.7	8.8	9.6	Yes	No
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months								30.7	29.2	No	
Percentage of students who were in a physical fight one or more times during the past 12 months							30.6	29.3	29.5	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse							3.5	3.4	3.8	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months							10.9	11.2	11.5	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months							11.7	12.5	11.6	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Injury and Violence											
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months							25.5	27.3	27.5	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months							16.0	18.0	15.8	No	No
Percentage of students who made a plan about how they would attempt suicide during the past 12 months							12.6	14.8	11.7	No	Yes
Percentage of students who actually attempted suicide one or more times during the past 12 months							6.6	9.6	7.2	No	Yes
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse							1.6	3.5	2.9	No	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs							60.4	56.9	53.3	Yes	No
Percentage of students who smoked a whole cigarette for the first time before age 13 years							20.2	16.8	16.0	Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days							25.6	21.9	22.5	No	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days							12.4	10.6	10.8	No	No
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days							13.3	13.2	13.2	No	No
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days							19.8	18.2	15.1	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days							7.7	6.1	7.0	No	No
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days							19.3	16.1	15.8	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Tobacco Use											
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months							59.7	61.1	55.8	No	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days							7.2	8.6	10.7	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days							3.7	4.3	5.5	No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days							14.7	15.6	17.7	Yes	No
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days							30.4	29.2	29.3	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Alcohol and Other Drug Use											
Percentage of students who had at least one drink of alcohol on one or more days during their life							77.8	75.0	75.2	No	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years							23.9	21.8	21.9	No	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days							44.9	41.4	43.9	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days							28.9	24.6	28.2	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days							3.9	3.4	4.1	No	No
Percentage of students who used marijuana one or more times during their life							43.4	38.2	37.8	Yes	No
Percentage of students who tried marijuana for the first time before age 13 years							8.8	8.6	9.1	No	No
Percentage of students who used marijuana one or more times during the past 30 days							22.1	18.9	18.9	Yes	No
Percentage of students who used marijuana on school property one or more times during the past 30 days							3.8	3.4	4.1	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Alcohol and Other Drug Use											
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life							7.9	6.8	8.0	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days							3.1	3.0	3.8	No	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life							12.9	14.1	15.8	No	No
Percentage of students who used heroin one or more times during their life							2.4	2.3	3.6	No	No
Percentage of students who used methamphetamines one or more times during their life							8.2	7.0	6.2	No	No
Percentage of students who used ecstasy one or more times during their life								6.4	6.4	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life							5.6	4.8	4.5	Yes	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life							1.6	2.1	2.7	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Alcohol and Other Drug Use											
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months							28.3	28.9	20.5	Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Sexual Behaviors											
Percentage of students who ever had sexual intercourse							48.8	44.5	49.1	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months							38.0	34.6	37.0	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse							55.4	62.6	57.1	No	No
Percentage of students who had ever been taught in school about AIDS or HIV infection							92.2	91.9	89.3	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**							14.2	14.3	15.3	No	No
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**							11.5	15.0	13.8	No	Yes
Percentage of students who described themselves as slightly or very overweight							32.2	31.9	31.5	No	No
Percentage of students who were trying to lose weight							46.7	46.5	48.7	No	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days							62.4	62.3	62.0	No	No
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days							43.3	41.8	43.7	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days							13.4	12.4	12.8	No	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Weight Management and Dietary Behaviors											
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days							10.1	6.8	7.2	Yes	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days							4.8	5.5	5.1	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days							80.6	78.3	77.4	Yes	No
Percentage of students who ate fruit one or more times during the past seven days							84.1	84.3	89.3	Yes	No
Percentage of students who ate green salad one or more times during the past seven days							64.6	65.3	65.9	No	No
Percentage of students who ate potatoes one or more times during the past seven days							77.0	72.0	72.8	Yes	No
Percentage of students who ate carrots one or more times during the past seven days							46.1	48.2	45.2	No	No
Percentage of students who ate other vegetables one or more times during the past seven days							84.6	82.3	82.2	No	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Weight Management and Dietary Behaviors											
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days							20.3	15.5	18.2	No	Yes
Percentage of students who drank three or more glasses per day of milk during the past seven days							21.1	16.2	16.7	Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Physical Activity											
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								32.2	43.7	Yes	
Percentage of students who watched three or more hours per day of TV on an average school day							32.9	31.9	28.7	Yes	No
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school							37.1	38.7	40.2	No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school							23.7	28.2	25.2	No	No
Percentage of students who played on one or more sports teams during the past 12 months							57.1	58.8	57.0	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Total											
Other											
Percentage of students who had ever been told by a doctor or nurse that they had asthma								22.2	22.5	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Injury and Violence											
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet							92.8	92.9	94.5	No	No
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else							15.0	12.5	12.8	No	No
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol							29.4	27.4	27.8	No	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol							14.1	15.0	15.0	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days							29.9	31.5	32.6	No	No
Percentage of students who carried a gun on one or more of the past 30 days							9.8	10.5	15.6	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days							9.7	8.1	9.4	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Injury and Violence											
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school							3.8	3.8	5.2	No	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months							8.4	10.7	11.6	No	No
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months								34.4	30.9	No	
Percentage of students who were in a physical fight one or more times during the past 12 months							37.7	36.7	37.9	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse							4.2	4.5	4.4	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months							15.0	14.4	14.5	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months							14.1	11.6	12.2	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Injury and Violence											
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months							21.0	21.2	18.7	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months							13.3	14.3	12.4	No	No
Percentage of students who made a plan about how they would attempt suicide during the past 12 months							11.2	12.6	9.9	No	No
Percentage of students who actually attempted suicide one or more times during the past 12 months							5.1	7.9	5.1	No	Yes
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse							1.1	3.6	2.0	No	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
Male	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs							60.8	59.7	56.1	No	No
Percentage of students who smoked a whole cigarette for the first time before age 13 years							23.7	18.2	18.0	Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days							25.6	23.2	24.6	No	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days							12.5	11.5	11.0	No	No
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days							17.5	15.3	15.1	No	No
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days							24.5	22.8	20.7	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days							7.7	7.2	8.7	No	No
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days							19.9	16.8	15.6	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Tobacco Use											
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months							52.8	55.7	50.2	No	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days							13.1	14.8	17.4	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days							6.8	7.8	9.3	No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days							21.0	22.7	22.9	No	No
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days							34.0	35.4	34.4	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Alcohol and Other Drug Use											
Percentage of students who had at least one drink of alcohol on one or more days during their life							77.4	76.1	74.5	No	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years							27.8	25.9	25.2	No	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days							44.5	41.6	45.6	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days							29.9	27.4	31.1	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days							4.2	4.8	4.9	No	No
Percentage of students who used marijuana one or more times during their life							48.8	41.3	39.5	Yes	No
Percentage of students who tried marijuana for the first time before age 13 years							11.6	10.6	11.5	No	No
Percentage of students who used marijuana one or more times during the past 30 days							25.3	21.0	21.6	No	No
Percentage of students who used marijuana on school property one or more times during the past 30 days							4.9	5.6	5.8	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Alcohol and Other Drug Use											
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life							8.7	7.8	8.7	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days							3.6	3.6	4.2	No	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life							14.7	15.4	16.7	No	No
Percentage of students who used heroin one or more times during their life							3.7	3.0	4.2	No	No
Percentage of students who used methamphetamines one or more times during their life							9.4	7.9	6.8	No	No
Percentage of students who used ecstasy one or more times during their life								7.9	6.7	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life							6.4	5.3	4.7	No	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life							2.4	2.5	3.1	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Alcohol and Other Drug Use											
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months							32.3	33.0	21.9	Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Sexual Behaviors											
Percentage of students who ever had sexual intercourse							50.2	46.0	49.2	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months							37.6	35.0	34.4	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse							61.0	62.6	63.8	No	No
Percentage of students who had ever been taught in school about AIDS or HIV infection							90.6	90.4	87.7	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**							15.3	13.6	15.9	No	No
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**							14.0	20.5	17.8	Yes	Yes
Percentage of students who described themselves as slightly or very overweight							23.1	26.9	25.5	No	No
Percentage of students who were trying to lose weight							29.1	30.5	34.0	No	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days							48.9	51.6	54.6	Yes	No
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days							26.1	27.0	30.8	Yes	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days							8.7	7.1	9.5	No	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Weight Management and Dietary Behaviors											
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days							6.4	4.2	5.7	No	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days							2.2	3.7	4.0	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days							81.2	79.5	77.6	No	No
Percentage of students who ate fruit one or more times during the past seven days							79.8	83.0	87.5	Yes	No
Percentage of students who ate green salad one or more times during the past seven days							58.9	63.4	60.8	No	No
Percentage of students who ate potatoes one or more times during the past seven days							76.7	73.2	71.8	No	No
Percentage of students who ate carrots one or more times during the past seven days							43.0	48.1	46.7	No	No
Percentage of students who ate other vegetables one or more times during the past seven days							81.8	80.8	80.3	No	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Weight Management and Dietary Behaviors											
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days							20.4	17.7	18.9	No	No
Percentage of students who drank three or more glasses per day of milk during the past seven days							29.1	21.5	21.2	Yes	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Male											
Physical Activity											
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								37.2	50.9	Yes	
Percentage of students who watched three or more hours per day of TV on an average school day							35.6	34.2	30.9	Yes	No
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school							45.5	44.5	46.9	No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school							31.2	31.2	30.1	No	No
Percentage of students who played on one or more sports teams during the past 12 months							59.6	60.3	60.5	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
Male												
Other												
Percentage of students who had ever been told by a doctor or nurse that they had asthma									22.0	20.5	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Injury and Violence											
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet							94.9	91.7	91.8	No	No
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else							6.1	3.8	5.6	No	Yes
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol							27.1	21.6	24.2	No	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol							10.8	7.3	8.6	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days							5.2	6.5	8.2	Yes	No
Percentage of students who carried a gun on one or more of the past 30 days							1.5	0.9	2.0	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days							2.7	3.4	3.4	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Injury and Violence											
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school							3.8	4.9	6.1	No	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months							4.9	6.8	7.2	No	No
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months								26.9	26.7	No	
Percentage of students who were in a physical fight one or more times during the past 12 months							23.0	21.7	20.5	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse							2.7	2.4	2.9	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months							6.7	8.0	7.6	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months							9.3	13.5	10.8	No	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Injury and Violence											
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months							30.3	33.6	36.2	Yes	No
Percentage of students who seriously considered attempting suicide during the past 12 months							18.9	22.0	19.1	No	No
Percentage of students who made a plan about how they would attempt suicide during the past 12 months							14.0	17.0	13.1	No	Yes
Percentage of students who actually attempted suicide one or more times during the past 12 months							8.1	11.4	8.9	No	Yes
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse							2.2	3.4	3.6	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
Female	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs							59.9	54.0	50.0	Yes	No
Percentage of students who smoked a whole cigarette for the first time before age 13 years							16.5	15.4	13.3	No	No
Percentage of students who smoked cigarettes on one or more of the past 30 days							25.7	20.5	19.9	No	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days							12.2	9.7	10.4	No	No
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days							9.1	10.6	11.0	No	No
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days							15.3	13.3	9.2	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days							7.8	5.0	5.0	Yes	No
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days							18.8	15.5	15.5	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Tobacco Use											
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months							66.5	67.5	61.9	No	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days							1.2	2.1	3.3	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days							0.4	0.6	1.2	No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days							8.0	8.3	11.7	Yes	No
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days							27.0	22.8	23.8	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Alcohol and Other Drug Use											
Percentage of students who had at least one drink of alcohol on one or more days during their life							78.2	73.9	75.8	No	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years							19.8	17.6	17.9	No	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days							45.4	41.3	41.9	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days							27.8	21.7	24.9	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days							3.6	1.9	2.7	No	No
Percentage of students who used marijuana one or more times during their life							37.7	35.1	36.1	No	No
Percentage of students who tried marijuana for the first time before age 13 years							5.9	6.5	6.4	No	No
Percentage of students who used marijuana one or more times during the past 30 days							18.9	16.7	16.2	No	No
Percentage of students who used marijuana on school property one or more times during the past 30 days							2.7	1.2	2.1	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Alcohol and Other Drug Use											
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life							7.1	5.8	6.8	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days							2.6	2.3	2.8	No	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life							11.0	12.7	14.4	No	No
Percentage of students who used heroin one or more times during their life							1.0	1.5	2.3	No	No
Percentage of students who used methamphetamines one or more times during their life							7.0	6.1	5.1	No	No
Percentage of students who used ecstasy one or more times during their life								4.9	5.4	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life							4.6	4.3	3.2	Yes	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life							0.8	1.6	1.8	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Alcohol and Other Drug Use											
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months							23.9	24.7	18.8	Yes	Yes

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Sexual Behaviors											
Percentage of students who ever had sexual intercourse							47.2	43.0	49.1	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months							38.3	34.2	39.2	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse							49.7	62.6	51.2	No	Yes
Percentage of students who had ever been taught in school about AIDS or HIV infection							93.9	93.5	91.6	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**							13.0	14.9	14.8	No	No
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**							8.8	9.2	9.9	No	No
Percentage of students who described themselves as slightly or very overweight							41.9	37.2	37.3	No	No
Percentage of students who were trying to lose weight							65.0	63.1	63.7	No	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days							76.4	73.3	69.7	Yes	No
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days							61.0	57.2	56.6	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days							18.4	17.8	15.8	No	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Weight Management and Dietary Behaviors											
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days							13.9	9.4	8.4	Yes	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days							7.5	7.3	6.1	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days							79.9	77.1	77.0	No	No
Percentage of students who ate fruit one or more times during the past seven days							88.6	85.7	91.4	No	Yes
Percentage of students who ate green salad one or more times during the past seven days							70.4	67.3	70.8	No	No
Percentage of students who ate potatoes one or more times during the past seven days							77.3	70.8	73.9	No	Yes
Percentage of students who ate carrots one or more times during the past seven days							49.2	48.3	43.4	Yes	No
Percentage of students who ate other vegetables one or more times during the past seven days							87.4	83.9	84.0	No	No

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Weight Management and Dietary Behaviors											
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days							20.3	13.2	17.2	Yes	Yes
Percentage of students who drank three or more glasses per day of milk during the past seven days							12.9	10.6	11.9	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Physical Activity											
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								27.1	36.6	Yes	
Percentage of students who watched three or more hours per day of TV on an average school day							29.9	29.6	26.1	No	No
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school							28.6	32.7	32.7	No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school							16.0	25.1	20.4	No	No
Percentage of students who played on one or more sports teams during the past 12 months							54.7	57.2	53.3	No	No

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Female											
Other											
Percentage of students who had ever been told by a doctor or nurse that they had asthma								22.3	24.7	No	

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Injury and Violence											
Among students who rode a bicycle during the past 12 months, the percentage who never or rarely wore a bicycle helmet							93.4	91.6	92.9	No	No
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else							10.5	8.2	8.9	No	No
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol							27.8	24.5	24.5	No	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol							13.4	11.6	12.0	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days							17.8	19.2	19.8	No	No
Percentage of students who carried a gun on one or more of the past 30 days							5.3	5.2	7.8	Yes	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days							6.1	5.4	5.9	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Injury and Violence											
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school							3.1	3.7	4.4	No	No
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months							6.0	8.7	9.0	Yes	No
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months								29.6	28.6	No	
Percentage of students who were in a physical fight one or more times during the past 12 months							28.4	28.1	27.0	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse							3.3	2.9	2.7	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months							9.6	10.6	9.6	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months							11.1	12.1	10.3	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Injury and Violence											
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months							23.5	27.4	26.1	No	No
Percentage of students who seriously considered attempting suicide during the past 12 months							15.4	18.7	15.8	No	No
Percentage of students who made a plan about how they would attempt suicide during the past 12 months							12.1	15.2	11.3	No	Yes
Percentage of students who actually attempted suicide one or more times during the past 12 months							5.7	9.9	5.9	No	Yes
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse							1.4	3.6	2.5	No	Yes

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs							59.1	58.1	51.8	No	No
Percentage of students who smoked a whole cigarette for the first time before age 13 years							19.9	17.2	15.1	Yes	No
Percentage of students who smoked cigarettes on one or more of the past 30 days							27.1	23.4	23.1	No	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days							13.7	11.5	11.4	No	No
Among students who reported current cigarette use, the percentage who smoked more than 10 cigarettes per day on the days they smoked during the past 30 days							13.5	14.4	13.9	No	No
Among students who were less than 18 years of age and who reported current cigarette use, the percentage who usually got their own cigarettes by buying them in a store or gas station during the past 30 days							22.1	18.7	15.7	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days							8.2	6.7	7.0	No	No
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days							21.3	17.1	16.3	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Tobacco Use											
Among students who reported current cigarette use, the percentage who ever tried to quit smoking cigarettes during the past 12 months							59.8	61.3	55.6	No	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days							7.8	9.2	11.1	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days							3.9	4.5	5.6	No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days							14.5	16.2	16.7	No	No
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days							31.9	31.1	29.8	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Alcohol and Other Drug Use											
Percentage of students who had at least one drink of alcohol on one or more days during their life							77.7	76.0	76.0	No	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years							22.8	20.8	20.8	No	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days							46.1	42.7	44.9	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days							30.3	26.2	30.0	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days							3.6	3.3	3.5	No	No
Percentage of students who used marijuana one or more times during their life							41.0	38.2	34.7	Yes	No
Percentage of students who tried marijuana for the first time before age 13 years							7.5	8.7	7.6	No	No
Percentage of students who used marijuana one or more times during the past 30 days							21.1	18.8	17.0	Yes	No
Percentage of students who used marijuana on school property one or more times during the past 30 days							3.3	2.9	3.6	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Alcohol and Other Drug Use											
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life							8.1	7.3	8.0	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days							3.3	3.1	3.2	No	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life							13.7	14.7	16.6	No	No
Percentage of students who used heroin one or more times during their life							2.4	2.3	2.8	No	No
Percentage of students who used methamphetamines one or more times during their life							8.6	7.7	5.9	Yes	No
Percentage of students who used ecstasy one or more times during their life								6.7	5.2	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life							5.4	5.3	3.3	Yes	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life							1.4	1.8	2.2	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Alcohol and Other Drug Use											
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months							26.1	28.4	18.8	Yes	Yes

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Sexual Behaviors											
Percentage of students who ever had sexual intercourse							45.6	42.3	46.3	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months							35.9	33.2	35.1	No	No
Among students who had sexual intercourse during the past three months, the percentage who used a condom during last sexual intercourse							55.5	61.8	57.8	No	No
Percentage of students who had ever been taught in school about AIDS or HIV infection							93.0	93.0	90.7	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**							13.5	13.9	14.4	No	No
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**							10.3	14.4	13.4	Yes	No
Percentage of students who described themselves as slightly or very overweight							32.4	32.2	31.9	No	No
Percentage of students who were trying to lose weight							47.5	46.4	49.5	No	No
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days							62.7	63.2	62.7	No	No
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days							45.0	42.0	44.9	No	No
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days							12.9	12.0	11.8	No	No

*Non-Hispanic.

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Weight Management and Dietary Behaviors											
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days							10.6	6.2	6.9	Yes	Yes
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days							4.8	5.5	4.2	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days							80.2	77.3	76.3	Yes	No
Percentage of students who ate fruit one or more times during the past seven days							85.3	85.7	89.8	Yes	No
Percentage of students who ate green salad one or more times during the past seven days							66.8	67.0	68.2	No	No
Percentage of students who ate potatoes one or more times during the past seven days							79.3	73.7	74.6	Yes	No
Percentage of students who ate carrots one or more times during the past seven days							48.6	50.0	46.4	No	No
Percentage of students who ate other vegetables one or more times during the past seven days							86.0	84.3	83.9	No	No

*Non-Hispanic.

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Weight Management and Dietary Behaviors											
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days							19.7	14.3	16.0	Yes	Yes
Percentage of students who drank three or more glasses per day of milk during the past seven days							21.8	17.3	17.7	Yes	Yes

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
White*											
Physical Activity											
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								32.4	44.6	Yes	
Percentage of students who watched three or more hours per day of TV on an average school day							28.3	28.0	24.3	No	No
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school							34.2	38.1	38.5	No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school							20.8	26.9	24.4	No	No
Percentage of students who played on one or more sports teams during the past 12 months							59.5	59.6	57.4	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year										Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007			
White*												
Other												
Percentage of students who had ever been told by a doctor or nurse that they had asthma								21.7	22.3		No	

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Injury and Violence											
Percentage of students who never or rarely wore a seat belt when riding in a car driven by someone else							9.9	6.2	6.3	No	No
Percentage of students who rode one or more times during the past 30 days in a car or other vehicle driven by someone who had been drinking alcohol							30.3	23.8	28.4	No	No
Percentage of students who drove a car or other vehicle one or more times during the past 30 days when they had been drinking alcohol							4.4	8.4	8.6	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on one or more of the past 30 days							16.5	19.5	23.5	No	No
Percentage of students who carried a gun on one or more of the past 30 days							8.9	7.7	13.6	No	No
Percentage of students who carried a weapon such as a gun, knife, or club on school property on one or more of the past 30 days							5.5	8.6	9.0	No	No
Percentage of students who did not go to school on one or more of the past 30 days because they felt they would be unsafe at school or on their way to or from school							7.7	8.1	9.4	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Injury and Violence											
Percentage of students who had been threatened or injured with a weapon such as a gun, knife, or club on school property one or more times during the past 12 months							10.9	8.6	8.6	No	No
Percentage of students who had property, such as their car, clothing, or books stolen or deliberately damaged on school property one or more times during the past 12 months								35.3	28.6	No	
Percentage of students who were in a physical fight one or more times during the past 12 months							44.1	35.0	37.3	No	No
Percentage of students who were in a physical fight one or more times during the past 12 months in which they were injured and had to be treated by a doctor or nurse							4.6	6.5	6.2	No	No
Percentage of students who were in a physical fight on school property one or more times during the past 12 months							19.1	14.4	17.6	No	No
Percentage of students who were ever hit, slapped, or physically hurt on purpose by their boyfriend or girlfriend during the past 12 months							14.7	15.3	16.5	No	No
Percentage of students who felt so sad or hopeless almost every day for two weeks or more in a row that they stopped doing some usual activities during the past 12 months							31.4	25.2	31.1	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Injury and Violence											
Percentage of students who seriously considered attempting suicide during the past 12 months							15.1	14.5	11.8	No	No
Percentage of students who made a plan about how they would attempt suicide during the past 12 months							12.6	9.3	9.6	No	No
Percentage of students who actually attempted suicide one or more times during the past 12 months							10.3	7.1	7.9	No	No
Percentage of students who made a suicide attempt during the past 12 months that resulted in an injury, poisoning, or overdose that had to be treated by a doctor or nurse							1.9	2.8	2.1	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Tobacco Use											
Percentage of students who ever tried cigarette smoking, even one or two puffs							66.0	47.9	57.6	No	Yes
Percentage of students who smoked a whole cigarette for the first time before age 13 years							19.2	12.1	14.3	No	No
Percentage of students who smoked cigarettes on one or more of the past 30 days							11.9	9.4	15.6	No	No
Percentage of students who smoked cigarettes on 20 or more of the past 30 days							1.6	3.6	5.7	No	No
Percentage of students who smoked cigarettes on school property on one or more of the past 30 days							1.8	3.5	5.1	No	No
Percentage of students who ever smoked cigarettes daily, that is, at least one cigarette every day for 30 days							3.4	7.8	9.7	Yes	No
Percentage of students who used chewing tobacco, snuff, or dip on one or more of the past 30 days							4.1	3.8	4.8	No	No
Percentage of students who used chewing tobacco, snuff, or dip on school property on one or more of the past 30 days							1.7	2.9	1.1	No	No
Percentage of students who smoked cigars, cigarillos, or little cigars on one or more of the past 30 days							13.6	10.0	20.2	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Tobacco Use											
Percentage of students who smoked cigarettes or cigars or used chewing tobacco, snuff, or dip on one or more of the past 30 days							19.0	14.4	24.6	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Alcohol and Other Drug Use											
Percentage of students who had at least one drink of alcohol on one or more days during their life							75.7	67.6	68.5	Yes	No
Percentage of students who had their first drink of alcohol other than a few sips before age 13 years							27.2	25.1	21.9	No	No
Percentage of students who had at least one drink of alcohol on one or more of the past 30 days							33.5	31.3	29.3	No	No
Percentage of students who had five or more drinks of alcohol in a row, that is, within a couple of hours, on one or more of the past 30 days							15.9	11.3	10.7	No	No
Percentage of students who had at least one drink of alcohol on school property on one or more of the past 30 days							5.3	3.3	4.3	No	No
Percentage of students who used marijuana one or more times during their life							55.4	41.0	55.2	No	Yes
Percentage of students who tried marijuana for the first time before age 13 years							14.4	7.2	14.6	No	No
Percentage of students who used marijuana one or more times during the past 30 days							28.4	19.9	31.2	No	Yes
Percentage of students who used marijuana on school property one or more times during the past 30 days							6.6	6.3	4.7	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Alcohol and Other Drug Use											
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during their life							4.1	2.6	2.4	No	No
Percentage of students who used any form of cocaine, including powder, crack, or freebase one or more times during the past 30 days							0.6	2.6	2.4	No	No
Percentage of students who sniffed glue, breathed the contents of aerosol spray cans, or inhaled any paints or sprays to get high one or more times during their life							3.4	11.0	7.1	No	No
Percentage of students who used heroin one or more times during their life							2.0	0.8	2.8	No	No
Percentage of students who used methamphetamines one or more times during their life							2.7	3.7	3.4	No	No
Percentage of students who used ecstasy one or more times during their life								4.7	7.3	No	
Percentage of students who took steroid pills or shots without a doctor's prescription one or more times during their life							4.1	2.8	2.1	No	No
Percentage of students who used a needle to inject any illegal drug into their body one or more times during their life							2.7	3.8	2.1	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Alcohol and Other Drug Use											
Percentage of students who were offered, sold, or given an illegal drug by someone on school property during the past 12 months							38.1	31.7	24.4	Yes	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Sexual Behaviors											
Percentage of students who ever had sexual intercourse							71.4	58.9	66.3	No	No
Percentage of students who had sexual intercourse with one or more people during the past three months							53.6	45.1	47.8	No	No
Percentage of students who had ever been taught in school about AIDS or HIV infection							88.8	85.9	90.1	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Weight Management and Dietary Behaviors											
Percentage of students who were at risk for becoming overweight (i.e., at or above the 85th percentile but below the 95th percentile for body mass index, by age and sex)**							19.5	18.3	18.7	No	No
Percentage of students who were overweight (i.e., at or above the 95th percentile for body mass index, by age and sex)**							17.7	22.5	16.0	No	Yes
Percentage of students who described themselves as slightly or very overweight							26.8	31.7	26.3	No	No
Percentage of students who were trying to lose weight							36.2	49.6	39.7	No	Yes
Percentage of students who exercised to lose weight or to keep from gaining weight during the past 30 days							58.1	57.3	55.1	No	No
Percentage of students who ate less food, fewer calories, or foods low in fat to lose weight or to keep from gaining weight during the past 30 days							27.7	39.9	30.4	No	Yes
Percentage of students who went without eating for 24 hours or more to lose weight or to keep from gaining weight during the past 30 days							16.2	13.9	15.2	No	No

*Non-Hispanic.

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Weight Management and Dietary Behaviors											
Percentage of students who took any diet pills, powders, or liquids without a doctor's advice to lose weight or to keep from gaining weight during the past 30 days							3.4	8.4	6.1	No	No
Percentage of students who vomited or took laxatives to lose weight or to keep from gaining weight during the past 30 days							4.9	5.1	6.8	No	No
Percentage of students who drank 100% fruit juices one or more times during the past seven days							82.2	82.7	84.2	No	No
Percentage of students who ate fruit one or more times during the past seven days							74.5	72.5	88.3	Yes	Yes
Percentage of students who ate green salad one or more times during the past seven days							47.7	51.5	48.9	No	No
Percentage of students who ate potatoes one or more times during the past seven days							64.8	61.8	62.9	No	No
Percentage of students who ate carrots one or more times during the past seven days							24.8	32.5	34.1	Yes	No
Percentage of students who ate other vegetables one or more times during the past seven days							74.5	65.7	73.8	No	Yes

*Non-Hispanic.

**Overweight and at risk for becoming overweight prevalence estimates for 1999 differ slightly from previously published results because different BMI cut points were used in 1999 than in subsequent years. To make these prevalence estimates comparable, the 1999 prevalence estimates were recalculated using the updated BMI cut points.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Weight Management and Dietary Behaviors											
Percentage of students who ate fruits and vegetables five or more times per day during the past seven days							23.6	20.0	27.7	No	No
Percentage of students who drank three or more glasses per day of milk during the past seven days							14.7	8.2	10.5	No	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Physical Activity											
Percentage of students who were physically active for a total of at least 60 minutes per day on five or more of the past seven days								31.3	41.3	No	
Percentage of students who watched three or more hours per day of TV on an average school day							68.8	62.1	58.5	No	No
Percentage of students who attended physical education (PE) classes on one or more days in an average week when they were in school							57.2	41.8	48.6	No	No
Percentage of students who attended physical education (PE) classes daily in an average week when they were in school							46.1	36.1	31.5	No	No
Percentage of students who played on one or more sports teams during the past 12 months							42.0	54.3	58.3	Yes	No

*Non-Hispanic.

2007 YOUTH RISK BEHAVIOR SURVEY RESULTS

Indiana High School Survey
Trend Analysis Report

Question	Prevalence Survey Year									Linear Change	Quadratic Change
	1991	1993	1995	1997	1999	2001	2003	2005	2007		
Black*											
Other											
Percentage of students who had ever been told by a doctor or nurse that they had asthma								26.3	22.2	No	

*Non-Hispanic.